Message

From: STURDEVANT Debra [Debra.STURDEVANT@state.or.us]

Sent: 2/21/2019 1:23:55 AM

To: BOROK Aron [Aron.BOROK@state.or.us]; Guzzo, Lindsay [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay]; Labiosa, Rochelle (FYDIBOHF23SPDLT)/cn=Recipients/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay]; Labiosa, Rochelle (FYDIBOHF23SPDLT)/cn=Recipients/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay); Labiosa, Rochelle (FYDIBOHF23SPDLT)/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay); Labiosa, Rochelle (FYDIBOHF23SPDLT)/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay); Labiosa, Lindsay, Li

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=ded3654216c9461d95cd5a3ceec507ef-Labiosa, Rochelle]

Subject: variance check in next week

Can we schedule a call to check in on status of work on the CWS variance and the MDV work, and how to keep things moving while Lindsay is out?

Aron and I are both available after 11:00 on Monday or Wednesday. Can you meet during those windows? Thanks,

Debra

Debra Sturdevant
ODEQ
503-229-6691
Sturdevant.Debra@deq.state.or.us
Water Quality Standards website